




REVISIONS			
REV	DESCRIPTION	DATE	REVISED BY
B	TO REVISE PAINT CALLOUT NOTE, MATERIAL & RoHS 3.0 COMPLIANT	28-Apr-2024	CHL
C	PROTECTIVE SHEET FROM PE TO PVC, ADD WINDU COSMETIC SPECS	26-May-2024	CHL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ILLUMINA. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF ILLUMINA IS PROHIBITED.

- NOTES:
- MATERIAL CODE: SVLT(U) (157)E-C5
 - FACE STOCK: SEMI-RIGID PVC (THICKNESS: 0.150mm +/-0.008mm)
 - ADHESIVE THICKNESS: 0.025+/-0.003
 - ADHESION TO MIRROR STEEL: >0.4kg/inch
 - NO GREASE, NO DEFECTS, NO SCRATCHES
 - RoHS 3.0 (EU) 2015/863 COMPLIANT

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS INTERPRET SHEET PER ASME Y14.5-2009 DIMENSIONS APPLY TO FINAL DELIVERED PARTS		ALL UNTOLERANCED SURFACES 0.25 A B C ALL UNTOLERANCED ANGLES: ± 1°		5200 Illumina Way San Diego, CA 92122 Phone (656) 232-4500 www.illumina.com	
MATERIAL REFER TO NOTES		FINISH N/A		DESCRIPTION PROTECTIVE FILM COVER, RIGHT TOP	
DRAWN BY Choon Hooi Lim		DATE 24-Oct-2023		THIRD ANGLE PROJECTION	
ILLUMINA PROPRIETARY & CONFIDENTIAL (CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE) DO NOT SCALE DRAWING SHEET 3 OF 3		SIZE D 1:1		DWG. NO. 20097419	
2		REV. C		PLM status: Pre-Production	